Hospital / clinic name

Upper GI Endoscopy Report

Oesophagus, stomach and duodenum

Patient name

Age / Sex

UHID / MRN

Date & time of procedure

Referring doctor

Endoscopist

Scope / instrument

Sedation / anaesthesia

Consent obtained (Yes / No)

Assistant / nurse

Quality indicators

Inspection time (minutes)

Mucosal visibility score / scale used

Photo documentation (tick when captured)

- ☐ Upper oesophagus
- ☐ Gastro-oesophageal junction
- ☐ Gastric fundus / cardia
- ☐ Gastric body
- ☐ Gastric antrum
- ☐ Duodenal bulb
- ☐ Second part of duodenum
- ☐ Every abnormal finding

Indication & relevant history

Preparation, consent & mucosal visibility

Technique, extent examined & inspection time

Free format from MedPrax Report. Fill it in online with scope images, saved patients and a signed PDF:
report.medprax.in · 5 reports a month free

Oesophagus

- [ ] Normal: The oesophagus is normal in calibre with smooth, pink mucosa. No varices, oesophagitis or mass is seen. The gastro-oesophageal junction is at the expected anatomical level.
- [ ] Oesophagitis: The distal oesophagus shows linear mucosal erythema and superficial erosions consistent with reflux oesophagitis.
- [ ] Barrett's: Salmon-coloured columnar mucosa extends proximally from the gastro-oesophageal junction, suspicious for Barrett's oesophagus.
- [ ] Varices: Grade I–II non-bleeding oesophageal varices are seen along the distal longitudinal folds.

Stomach

- [ ] Normal: The stomach expands well with insufflation. Fundus, body and antral mucosa appear healthy. No ulcer, polyp or active bleeding is seen.
- [ ] Gastritis: Patchy antral erythema, congestion and subepithelial haemorrhage are consistent with mild antral gastritis.
- [ ] Gastric ulcer: A well-defined ulcer is visible in the antrum with regular borders and a fibrinous base.
- [ ] Hiatal hernia: Retroflexion demonstrates a small sliding hiatal hernia with laxity of the diaphragmatic pinch.

Duodenum

- [ ] Normal: The duodenal bulb and second part appear normal. Villous architecture and vascularity are preserved.
- [ ] Duodenitis: The duodenal bulb shows mucosal congestion and erythema consistent with active duodenitis.
- [ ] Duodenal ulcer: A small active ulcer is seen on the anterior wall of the duodenal bulb with surrounding oedema.

Interventions, specimens & complications

Impression & follow-up plan

- [ ] Normal study: Normal upper GI endoscopy.

Free format from MedPrax Report. Fill it in online with scope images, saved patients and a signed PDF:
report.medprax.in · 5 reports a month free

Endoscopic images

Image 1 – site / finding:

Image 2 – site / finding:

Image 3 – site / finding:

Image 4 – site / finding:

Endoscopist name & registration no.

Signature

Date & time

Free format from MedPrax Report. Fill it in online with scope images, saved patients and a signed PDF:
report.medprax.in · 5 reports a month free